

# BON-NEEM INSECTICIDAL SOAP

Ready To Use

**CONTROLS APHIDS, MITES, WHITEFLIES  
& POWDERY MILDEW ON ROSES &  
OTHER PLANTS!**

**FOR INDOOR, HOME GREENHOUSE  
& HOME GARDEN USE**

EPA Est. No. 4-NY-1

EPA Reg. No. 70191-02-4

Buyers Guarantee Limited to Label Claims.

Distributed by

BONIDE PRODUCTS, INC.

6301 Sutliff Road

Oriskany, NY 13424

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## GENERAL INFORMATION

This blend of potassium soaps derived from Indian Neem tree seed oil is specially formulated as a Ready-to-Use spray that kills mite and insect pests and powdery mildew spores, hyphae and colonies on contact. Target arthropod pests include **adelgids, aphids, cabbageworms & other caterpillars, earwigs, fleabeetles, lace bugs, leaf hoppers, mealy bugs, psyllids, rose slugs, scale insects, sawfly larvae, spider mites, spittle-bugs, squashbugs, stinkbugs, tent caterpillars, thrips, and whiteflies** on indoor and outdoor ornamental and food plants, shrubs, trees, foliage plants, flowers, home garden and greenhouse fruits, nuts and vegetables.

**SHAKE WELL BEFORE USE.** Contact and kill **powdery mildew** hyphae, colonies and spore on **INDOOR & OUTDOOR ROSES**, lilacs, zinnia and other susceptible indoor and outdoor plants. Wet all plant surfaces, particularly young stems, buds and upper leaf surfaces. Begin spraying when signs of powdery mildew first appear and repeat every 7 to 10 days to maintain control. Periodically (every 3 to 4 weeks) rinse foliage with clean water to avoid accumulation of product residues.

Contact and kill **ARTHROPOD PESTS** with spray when they first appear or as soon as damage is noticed. Spray infested plant surfaces thoroughly, including lower leaf surfaces, to the point of runoff. Respray in one week if pests persist. For aphid and mealybug control, respray after 2 or 3 days to control high populations. **Product can be used up to day of harvest on food plants.** Cover aquaria before spraying.

## FOR USE ON HOUSEPLANTS

such as ornamental foliage, flowering and food plants in homes, home greenhouses or interior plantscapes.

## FOR USE ON FLOWERS, BEDDING PLANTS & PERENNIALS

such as those growing **OUTDOORS** or around the home.

### FOR USE ON WOODY LANDSCAPE SHRUBS & TREES

including deciduous and evergreen species such as dogwood, crabapple, crape myrtle, lilac, holly, and conifers.

### FOR USE ON HOMEGROWN FRUITS & NUTS

such as apples, blackberries, cherries, cranberries, English walnuts, grapes, grapefruit, lemons, melons, nectarines, oranges, peaches, pears, pecans, plum, raspberries, strawberries, and many Exotic, Semitropical or Tropical fruiting plants.

### FOR USE ON HOMEGROWN VEGETABLES

such as asparagus, beans, beets, broccoli, cabbage (& other cole crops), celery (and other leafy vegetables), cucumber (& other cucurbits), eggplant, herbs, lettuce, okra, peas, peppers, potatoes, radish, spices (various), spinach, squash & tomatoes.

### USE RESTRICTIONS

**Do not use on** newly transplanted or drought stressed plants or on BLEEDING HEART, CROWN OF THORNS, GARDENIA, HORSE CHESTNUT, JADE PLANT, JAPANESE MAPLE, LANTANA, MOUNTAIN ASH OR SWEETPEAS, or tender new growth of conifers. Product use may discolor foliage of spruce or other conifers. Surface marking may result from presence of sooty molds on foliage or fruits of some plants, particularly citrus and some varieties of pome fruits.

**Test a few inconspicuous leaves** of BALD CYPRESS, BEGONIAS, CAMELLIAS, CHRYSANTHEMUMS, CUCURBITS, DELICATE FERNS, EUPHORBIAS, FUCHSIAS, GRAPE, IMPATIENS, IVIES, PALMS, PEPPERS, POINSETTIAS, NARROW LEAF EVERGREENS, SCHEFFLERA AND SUCCULENTS, **and flowers** of AFRICAN VIOLET, AGERATUM, AZALEA, BEGONIA, CHRYSANTHEMUM, DAHLIA, GERANIUM, IMPATIENS, LILY, MARIGOLD, PANSY, PETUNIA, SALVIA, SNAPDRAGON, VINCA AND ZINNIA **for sensitivity** before application (or reapplication) to entire plant. If wilting of leaves or flowers occurs within a few hours, rinse test plants with clean water.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool place (preferably in a locked storage area) and keep container tightly sealed. Avoid contamination of feed and foodstuffs.

**Container Disposal:** *If empty*- Do not reuse this container. Place in trash or offer for recycling if available. *If partially filled*- Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## FIRST AID

<b>If in eyes:</b>	<ul style="list-style-type: none"><li>• Hold eyelids open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

## PRECAUTIONARY STATEMENTS

### Hazards to humans and domestic animals

**CAUTION** - Causes moderate eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**Environmental Hazards:** This product may be hazardous to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**Bee Hazard:** This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

NOTICE: Buyer assumes all responsibility for safety and consequences of damage or injury for product use, storage, handling or application, which are not in accordance with explicit label directions.