

WEED BEATER PLUS CRABGRASS & BROADLEAF WEED KILLER

CONTROLS: CRABGRASS, CHICORY, DANDELION, GROUND IVY, KNOTWEED, NUTSEGE, PIGWEEDS, POISON IVY, POISON OAK, SANDBUR, SPEEDWELL, SPURGE AND OTHER LISTED WEEDS.

FOR USE ON: BERMUDA, ZOYSIA, KENTUCKY BLUE, PERENNIAL RYE, AND TALL FESCUE GRASSES.

Store and transport in an upright position.

EPA Reg. No. 2217-808-4

EPA Est. No. 4-NY-1

Buyers Guarantee Limited to Label Claims.

Distributed by
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

WHERE TO USE

Bonide Weed Beater Plus Crabgrass & Broadleaf Weed Killer is intended for residential and ornamental lawns with applications by homeowners only. This product contains four proven herbicides that are effective on hard-to-kill grass and broadleaf weeds. Spot treatments of this product are applied after the weeds have emerged with hand-operated sprayers (plunger or pump-up sprayers).

Bonide Weed Beater Plus Crabgrass & Broadleaf Weed Killer controls a wide range of broadleaf weeds including dandelion, spurge, oxalis, crabgrass, dallisgrass, and yellow nutsedge in bermudagrass, Kentucky bluegrass, perennial ryegrass, tall fescue and zoysiagrass lawns. A partial list of weeds controlled is shown below.

PARTIAL LIST OF WEEDS CONTROLLED

| | | | | |
|-------------|-------------|---------------|----------------|-------------------|
| Aster | Dallisgrass | Lambsquarters | Poison ivy | Wild carrot |
| Bedstraw | Dandelion | Lespedeza | Poison oak | Wild garlic |
| Black medic | Docks | Mallows | Purslane | Wild lettuce |
| Buckhorn | Goosegrass | Morningglory | Ragweed | Wild onion |
| Burdock | Ground ivy | Nutsedge | Sandbur | Yarrow |
| Chicory | Healall | Oxalis | Sheep sorrel | Yellow woodsorrel |
| Chickweed | Henbit | Peppergrass | Shepherdspurge | |
| Clovers | Knotweed | Pigweeds | Speedwell | |
| Crabgrass | | Plantain | Spurge | |

USE PRECAUTIONS

- Do not use a hose end sprayer.
- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- Do not exceed the specified dosage for any area. Be particularly careful under the dripline of trees and ornamentals.
- Do not use this product on St. Augustinegrass, centipedegrass, carpetgrass, creeping fescue, dichondra, nor on lawns with desirable clovers.
- Keep children and domestic animals off treated area until this material has been watered into the soil or the grass has dried.
- Do not apply while grass is emerging from dormancy.

WHEN TO APPLY

Apply when weeds are young and actively growing and the lawn is healthy, moist and not under stress from drought conditions. For bluegrass, perennial ryegrass, and tall fescue, apply this product when air temperatures are between 70°F and 80°F.

For bermudagrass and zoysiagrass, apply this product when air temperatures are between 70°F and 90°F. Applications made when air temperatures exceed these conditions may result in injury to the lawn.

Do not apply this product to newly seeded lawns until after the fourth mowing. Seed can be sown 3 to 4 weeks after application.

HOW TO APPLY

If the soil is dry, then water thoroughly 24 hours before application. Mow lawn to the proper height 1-3 days before application. Using a hand-operated sprayer (plunger or pump-up sprayer) spray weeds evenly until lightly covered. Over-spray can injure turfgrass. Do not water lawns for 24 hours after application. Temporary discoloration may occur with the use of this product. After 24 hours, a thorough watering is recommended. The maximum application rate to turf is 0.7 pounds 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

FOR BERMUDAGRASS AND ZOYSIAGRASS

Mix 4 fluid ounces (8 tablespoons) of product with 2.0 gallons of water for treatment of 1,000 square feet of turfgrass. Do not apply when the air temperatures are above 90°F. A second application may be made in 14 days if necessary.

Table 1. Mixing instructions for bermudagrass and zoysiagrass with hand operated sprayers.

| Area to Spray, Square Feet | Amount of Water, Gallons | Amount of Product | |
|-------------------------------|-----------------------------|-------------------|--------------|
| | | Tablespoons | Fluid Ounces |
| 500 | 1 | 4 | 2 |
| 1,000 | 2 | 8 | 4 |
| 1,500 | 3 | 12 | 6 |

FOR KENTUCKY BLUEGRASS, PERENNIAL RYEGRASS, AND TALL FESCUE

Mix 3 fluid ounces (6 tablespoons) of product with 2.0 gallons of water for treating 1,000 square feet of turfgrass. Do not apply when the air temperatures are above 80°F. A second application may be made in 14 days if necessary.

Table 2. Mixing instructions for Kentucky bluegrass, perennial ryegrass, and tall fescue with hand operated sprayers.

| Area to Spray, Square Feet | Amount of Water, Gallons | Amount of Product | |
|-------------------------------|-----------------------------|-------------------|--------------|
| | | Tablespoons | Fluid Ounces |
| 500 | 1 | 3 | 1 ½ |
| 1,000 | 2 | 6 | 3 |
| 1,500 | 3 | 9 | 4 ½ |

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing. Do not contaminate water, food or feed by storage or disposal

CONTAINER DISPOSAL: If **empty:** Do not reuse this container. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

| | |
|--------------------------------|---|
| If in eyes | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice. |
| If swallowed: | <ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person. |
| If inhaled: | <ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. When using this product wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and eye protection. It is recommended that safety glasses include front, brow and temple protection.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from treated area. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

LIMITED WARRANTY AND DISCLAIMER

The distributor warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE DISTRIBUTOR NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED.

This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the distributor or the seller. Any damages arising from a breach of the distributor's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.