

JAPANESE BEETLE KILLER READY-TO-USE

**KILLS JAPANESE BEETLES AND OTHER
LISTED INSECTS ON: VEGETABLES,
FLOWERS, ORNAMENTALS, TREES
& SHRUBS**

Store and transport in an upright position.

EPA REG. No. 4-309

EPA Est. No. 4-NY-1

BONIDE PRODUCTS, INC.

6301 Sutliff Road

Oriskany, NY 13424

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE ON THE FOLLOWING ORNAMENTALS

African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds. To control: aphids, flea beetles, leafhoppers and whiteflies. **To kill:** gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on contact.

ON TREES AND SHRUBS

Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

ON ROSES AND IN FLOWER GARDENS

Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

FOR USE ON VEGETABLES TO CONTROL INSECTS

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

USE ON THE FOLLOWING CROPS

Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach, and Tomatoes. **To Control:** asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-Spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamondback moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leaf-tiers, fireworms, blister beetles, Colorado potato beetles and webworms.

TO OPERATE: Shake Before Using. Turn nozzle of sprayer to “spray” or “stream” position. Prime sprayer by holding at cap level of bottle and pumping trigger. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage. Set nozzle to closed position. This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets. Do not store or transport under 32°F.

Disposal: *If empty* – Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If Swallowed:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

FIRST AID Cont.

If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Remove pets, birds and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawn and grounds.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.