




# Ant Traps

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



**READ ENTIRE LABEL BEFORE USING. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. READ INSTRUCTIONS BEFORE PRESSING IN SEMI-PERFORATED HOLES.**

**General Precautions and Restrictions.** Place bait traps in areas inaccessible to children and domestic animals. Do not contaminate feed, food products, food preparation surfaces, dishes, kitchen utensils or food containers.

**Application Instructions:** Find indented sections on the sides of the can. Simply apply pressure with key until they open (see illustration). **Indoors:** Place bait traps where ants are numerous (under sinks, stoves, refrigerators and cabinets). **Outdoors:** Place bait traps near ant colonies and along trails. A reduction in activity should be noticeable within one week after bait trap placement. Ants enter bait trap and carry food back to nest.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. Keep pesticides in original containers.

**Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

### FIRST AID

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-222-1222 (the APCC hotline).

**Note to Physician:** Propoxur is a reversible cholinesterase inhibitor. Atropine sulfate is antidotal and should be administered only if symptoms appear.

**ENVIRONMENTAL HAZARDS:** This product is toxic to wildlife and aquatic invertebrates. Birds and small mammals feeding on treated bait may be killed. Do not apply directly to water. Do not contaminate water by cleansing of equipment or disposal of wastes.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA Reg. No. 506-137-4

EPA Est. 506-NY-1

**Distributed By:**  
**Bonide Products, Inc.**  
6301 Sutliff Road  
Oriskany, NY 13424