

# BurnOut<sup>®</sup>

*Fast acting*

## weed and grass killer

TRUSTED SINCE 1926

**BONIDE<sup>®</sup>**

Contains citric acid and clove oil

For non-selective control of herbaceous  
broadleaf and grassy weeds

See results in hours 

**ACTIVE INGREDIENTS:**

Citric Acid ..... 24.0%

Clove Oil ..... 8.0%

**INERT INGREDIENTS:\*** ..... 68.0%

**TOTAL:** ..... 100.0%

\*Inert Ingredients: Water, Lauric Acid, Octanoic Acid, Gum Arabic, Xanthan Gum, Sodium Acetate

**Keep Out Of Reach Of Children**

**DANGER** (See back panel for additional  
Precautionary Statements and First Aid)



**People & Pet Safe**  
when used as directed



# BurnOut<sup>®</sup>

*Fast acting*  
weed and grass killer Concentrate

- ✓ Kills all types of weeds and grasses
- ✓ Rain proof when dry
- ✓ Works with temps as low as 40°F
- ✓ Does not translocate
- ✓ Kills most roots

Store and transport in upright position.  
Buyers Guarantee Limited to Label Claims.  
©Bonide Products, Inc. All Rights Reserved  
Distributed by: Bonide Products, Inc.  
6301 Sutliff Road, Oriskany, NY 13424  
(315)736-8231



RN

## **READ THE LABEL FOR APPLICATION INSTRUCTIONS AND PRECAUTIONS PRIOR TO USE.**

This product is exempt from registration with the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the Environmental Protection Agency. Bonide represents that the ingredients qualify for exemption from registration under FIFRA.

## **DIRECTIONS FOR USE**

### **SHAKE WELL BEFORE USING.**

This product is a contact, non-selective, broad spectrum, foliar applied weed killer. It will only control actively growing emerged green vegetation. It is effective on annual, perennial and grassy weeds. This product does not translocate and will affect only those plants that are covered with the spray solution. Use along borders, on driveways, sidewalks, around mature tree bases, around buildings, along fence lines, around barns & pastures, in greenhouses, school grounds, flowerbeds and other areas where weed control is desired.

**Mix** 1 part of this product to 3 parts water (8 fl.ounces of this product in 24 fl.ounces of water OR 32 fl.ounces of this product in 96 fl.ounces of water). Spray to the point of run-off, making sure that all of the foliage is wet. One gallon of finished spray solution covers approximately 1,500 sq.ft. Repeat application may be necessary if new growth appears. For larger annuals and burndown of perennial weeds, higher application rates may be required. To achieve higher application rates, mix 1 part of this product with 2 parts water. (8 fl.ounces of this product in 16 fl.ounces of water). Apply spray solution to vegetation using equipment such as a trigger, hand-held, back-pack, or tractor-mounted sprayer.

Multiple applications will be required for control of larger weeds, or weeds that are stressed due to lack of moisture or high temperatures. Best results are achieved from spring/early summer applications to actively growing young weeds. Only contacted vegetation will be affected. Rainfall within one hour after application will reduce effectiveness, and will have to be re-applied.

People, pets and other animals may re-enter a treated area after the application has dried.

Avoid application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces.

Reseeding or Re-planting interval:

Treated areas may be reseeded 24 hours after application.

**NOTE:** All contacted vegetation will be affected. Avoid contact with desirable vegetation. If product contacts desirable vegetation, wash off immediately with water.

## TYPICAL WEEDS CONTROLLED, BUT NOT LIMITED TO:

<p><b>Annual Weeds</b> Broadleaf weeds, Black Medic, Chickweed, Cinquefoil (rough), Lamb's quarters, Mustard spp., Oxalis spp., Pigweed spp., Ragweed spp.,</p>	<p><b>Perennial weeds</b> Broadleaf Weeds, Perennial Grasses, Cinquefoil (silvery), Dandelion, Plantain Spp., Toadflax, Tufted vetch, Wild Carrot</p>
<p><b>Annual Grasses</b> Crabgrass, Foxtail spp.</p>	<p><b>Perennial Grasses</b> Bluegrass, Quackgrass</p>

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Keep from freezing. Store only in original tightly sealed container and out of reach of children.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container (bottle). Rinse thoroughly before discarding in trash.

## FIRST AID

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### IF IN EYES:

Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

### IF SWALLOWED:

Call a doctor or get medical attention. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

### IF ON SKIN:

Wash with plenty of soap and water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND ANIMALS**

**DANGER:** Causes eye irritation. Wear safety glasses and gloves when applying. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** Avoid spraying directly into water.

**DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.**

**PERSONAL PROTECTION EQUIPMENT (PPE):** Applicators and other handlers must wear appropriate protective eyewear, such as goggles or face shield, long sleeved shirt and long pants, waterproof gloves and shoes.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with label directions.